An investigation of spatial-temporal patterns and predictions of the coronavirus 2019 pandemic in Colombia, 2020-2021

Online Supplementary Materials

Amna Tariq*¹, Tsira Chakhaia¹, Sushma Dahal¹, Alexander Ewing¹, Xinyi Hua², Sylvia K. Ofori², Olaseni Prince¹, Argita D. Salindri¹, Ayotomiwa Ezekiel Adeniyi³, Juan M. Banda³, Pavel Skums³, Ruiyan Luo¹, Leidy Y. Lara Díaz⁴, Raimund Bürger⁴, Isaac Chun-Hai Fung², Eunha Shim⁵, Alexander Kirpich¹, Anuj Srivastava⁶, Gerardo Chowell¹

- ¹ Department of Population Health Sciences, School of Public Health, Georgia State University, Atlanta, GA, USA
- ² Department of Biostatistics, Epidemiology and Environmental Health Sciences, Jiann-Ping Hsu College of Public Health, Georgia Southern University, Statesboro, GA, USA
- ³ Department of Computer Science, College of Arts and Sciences, Georgia State University, Atlanta, GA, USA
- ⁴ Centro de Investigación en Ingeniería Matemática (CI²MA) and Departamento de Ingeniería Matemática, Universidad de Concepción, Concepción, Chile
- ⁵ Department of Mathematics, Soongsil University, 369 Sangdoro, Dongjak-Gu, Seoul, 06978,

Republic of Korea

⁶ Department of Statistics, Florida State University, Tallahassee, Florida, USA

^{*&}lt;u>atariq1@student.gsu.edu</u>

S1. Scaled incidence curve

We scale the daily case incidence curves of COVID-19 for the regional and national level by dividing the daily number of COVID-19 cases to the total number of cases reported at the national or regional level as of October 31, 2021.